

xpecgen: A program to calculate x-ray spectra generated in tungsten anodes

Guillermo Hernández¹ and Francisco Fernández¹

¹ Universidad de Salamanca

DOI: [10.21105/joss.00062](https://doi.org/10.21105/joss.00062)

Software

- [Review](#) ↗
- [Repository](#) ↗
- [Archive](#) ↗

Licence

Authors of JOSS papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC-BY](#)).

Summary

X-rays tubes are widely used nowadays in medical applications, specially in medical imaging and radiation dosimetry, as well in other areas like security scanning or food contaminant irradiation. `xpecgen` is a program designed as a research and educational tool for use in medical applications by non-programming experts, as well as providing an API for programmers. It may also be of interest in other areas of knowledge where x-ray tubes are used.

`xpecgen` is a python package to calculate x-ray spectra generated in tungsten anodes using the model of Hernández and Fernández (Hernández and Fernández (2016)). It includes a Graphical User Interface and allows calculation of half-value-layers, norms, and attenuation. It can also export the calculations in XLSX and CSV formats.

References

Hernández, G, and F Fernández. 2016. “A Model of Tungsten Anode X-Ray Spectra.” *Medical Physics* 43 (8). American Association of Physicists in Medicine: 4655–64.




Figure 1: xpecgen GUI.