

# mwarp1d: Manual one-dimensional data warping in Python and PyQt

Todd C. Pataky<sup>1</sup>, Hanaa Naouma<sup>1, 2</sup>, and Cyril J. Donnelly<sup>3</sup>

<sup>1</sup> Kyoto University, Department of Human Health Sciences <sup>2</sup> Shinshu University, Department of Bioengineering <sup>3</sup> Nanyang Technological University, Rehabilitation Research Institute of Singapore

DOI: [10.21105/joss.01870](https://doi.org/10.21105/joss.01870)

## Software

- [Review](#) ↗
- [Repository](#) ↗
- [Archive](#) ↗

---

**Editor:** [Tania Allard](#) ↗

## Reviewers:

- [@melund](#)
- [@demotu](#)

**Submitted:** 12 October 2019

**Published:** 16 December 2019

## License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC-BY](#)).

## Summary

“Warping” is a mathematical / computational process that transforms a domain like time or space so that its nodes (i.e., points in time or space) are unequally spaced. For one-dimensional (1D) domains like time, warping involves translating nodes forward or backward (in time). The goal of warping is usually “registration”, or the alignment of homologous events / features. An example is shown in Fig.1 below, where an original 1D observation (a force trajectory) is warped to become better aligned with a template 1D observation.

Warping 1D data has been shown to be necessary for minimizing variability in a variety of applications (Marron, Ramsay, Sangalli, & Srivastava, 2015; Ramsay & Li, 1998; Sadeghi et al., 2000), yet only a few open-source algorithmic techniques exist (Ramsay & Silverman, 2005; Wrobel, 2018; Zeng, Qing, & Kim, 2019), and no manual techniques exist for 1D registration. It has separately been shown that, for 2D data, manual registration can perform as well as, and in some cases better than algorithmic registration (Buckner et al., 2004; Iosifescu et al., 1997). Manual registration may also be necessary when algorithmic registration fails or requires manual interaction (Qin, Huang, & Suganthan, 2009).

mwarp1d is a tool for manually warping 1D data via Python scripting and also via a PyQt graphical user interface (GUI). mwarp1d implements two warping procedures: `landmark` and `manual`. Landmark registration was introduced to the literature more than 20 years ago, involving homologous point digitizing and subsequent piecewise interpolation. While simple, landmark registration was implemented in mwarp1d as a comparative baseline. The `manual` registration scheme is novel, involving domain warps through manually adjustable, globally-constrained asymmetric Gaussian warping kernels.

## Statement of need

**Research purpose:** mwarp1d allows users to manually register 1D datasets, thereby achieving qualitatively optimal alignment of multiple 1D observations.

**Problem solved:** mwarp1d allows users to manually define arbitrarily complex warps, thereby solving the problem of potentially poor algorithmic registration performance. As far as we are aware, no other manual, GUI-based software exists for manual 1D data warping.

**Target audience:** The target audience is anyone working with or analyzing registerable 1D data, especially researchers in the human and animal movement sciences. Full documentation is available in the [project repository](#).

## Figures




Figure 1: Example 1D warp.

## References

- Buckner, R. L., Head, D., Parker, J., Fotenos, A. F., Marcus, D., Morris, J. C., & Snyder, A. Z. (2004). A unified approach for morphometric and functional data analysis in young, old, and demented adults using automated atlas-based head size normalization: reliability and validation against manual measurement of total intracranial volume. *NeuroImage*, *23*(2), 724–738. doi:[10.1016/j.neuroimage.2004.06.018](https://doi.org/10.1016/j.neuroimage.2004.06.018)
- Iosifescu, D. V., Shenton, M. E., Warfield, S. K., Kikinis, R., Dengler, J., Jolesz, F. A., & McCarley, R. W. (1997). An Automated Registration Algorithm for Measuring MRI Subcortical Brain Structures. *NeuroImage*, *6*(1), 13–25. doi:[10.1006/nimg.1997.0274](https://doi.org/10.1006/nimg.1997.0274)
- Marron, J. S., Ramsay, J. O., Sangalli, L. M., & Srivastava, A. (2015). Functional data analysis of amplitude and phase variation. *Statistical Science*, *30*(4), 468–484. doi:[10.1214/15-STS524](https://doi.org/10.1214/15-STS524)
- Qin, A. K., Huang, V. L., & Suganthan, P. N. (2009). Differential Evolution Algorithm With Strategy Adaptation for Global Numerical Optimization. *IEEE Transactions on Evolutionary Computation*, *13*(2), 398–417. doi:[10.1109/TEVC.2008.927706](https://doi.org/10.1109/TEVC.2008.927706)
- Ramsay, J. O., & Li, X. (1998). Curve registration. *Journal of the Royal Statistical Society Series B*, *60*(2), 351–363. doi:[10.1111/1467-9868.00129](https://doi.org/10.1111/1467-9868.00129)
- Ramsay, J. O., & Silverman, B. W. (2005). *Functional Data Analysis*. New York: Springer-Verlag. Retrieved from <http://www.psych.mcgill.ca/misc/fda/downloads/>
- Sadeghi, H., Allard, P., Shafie, K., Mathieu, P., Sadeghi, S., Prince, F., & Ramsay, J. (2000). Reduction of gait data variability using curve registration. *Gait and Posture*, *12*(3), 257–264. doi:[10.1016/S0966-6362\(00\)00085-0](https://doi.org/10.1016/S0966-6362(00)00085-0)

Wrobel, J. (2018). register: Registration for Exponential Family Functional Data. *The Journal of Open Source Software*, 3(22), 557. doi:[10.1111/biom.12963](https://doi.org/10.1111/biom.12963)

Zeng, P., Qing, S. J., & Kim, W. S. (2019). Simultaneous registration and clustering for multi-dimensional functional data. *Journal of Computational and Graphical Statistics*, 1, 1–32. doi:[10.1080/10618600.2019.1607744](https://doi.org/10.1080/10618600.2019.1607744)