





quadkey: Tools for converting QuadKey-identified datasets (Microsoft’s Bing Maps Tile System) into raster images and analyzing Meta (Facebook) Mobility Data

Florencia D’Andrea ¹ and Pilar Fernandez ²

¹ Independent Researcher ² Paul G. Allen School for Global Health, Washington State University, USA
 Corresponding author

DOI: [10.21105/joss.06500](https://doi.org/10.21105/joss.06500)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: Øystein Sørensen  

Reviewers:

- [@osorensen](#)

Submitted: 16 March 2024

Published: 25 March 2024

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](https://creativecommons.org/licenses/by/4.0/)).

Summary

The quadkeyr R package presents a comprehensive toolkit for generating raster images from Quadkey-Identified data within Microsoft’s Bing Maps Tile System (Schwartz, 2022). Designed to integrate Quadkey-Identified data into R workflows, this package facilitates the creation of QuadKey grids and raster images and introduces specialized functions for the processing of Meta (also known as Facebook) Mobility data (Data for Good at Meta Website, 2024).

The goal of quadkeyr is to:

1. **Convert a QuadKey to a Simple Features data.frame (and more):** quadkeyr provides functions to convert QuadKeys to an sf POINT data.frame or sf POLYGON data.frame (Pebesma, 2018) (Figure 1). Additionally, it offers all the R functions described in the official documentation (Schwartz, 2022) for converting QuadKeys to and from tiles, pixels, and geographic coordinates.




Figure 1: Convert a QuadKey to a Simple Features data.frame.

2. **Generate Raster Images from Quadkey-Identified Data:** Complete a grid of QuadKeys within a specified area and zoom level, and create a stars raster (Pebesma & Bivand, 2023). You can also directly convert QuadKeys in a data.frame column into an sf POLYGON data.frame (Figure 2).




Figure 2: Generate an sf POLYGON data.frame or a stars object from Quadkey-Identified datasets

3. **Convert Meta (Facebook) Mobility QuadKey-Identified Datasets into Raster Files:** Convert Meta (Facebook) mobility data .csv files into .tif files by day and hour reported (Figure 3).




Figure 3: Convert Meta (Facebook) Mobility QuadKey-Identified Datasets into Raster Files.

4. **Offer an App for visualizing QuadKeys on a map:** Introduce a QuadKey visualization application enabling users to validate function outcomes.

Statement of need

What are QuadKeys in Tile Maps?

Tile maps divide the Earth's surface into a grid of tiles, with each tile corresponding to a specific geographic area at various zoom levels.

QuadKeys represent a location on a map by encoding its hierarchical spatial position as a sequence of characters (Figure 4). They provide an efficient method to address and retrieve

specific map tiles, facilitating rapid display within mapping applications.




Figure 4: The QuadKey of any tile starts with the QuadKey of its parent tile (the containing tile at the previous level). Image extracted from Microsoft's Bing Maps Tile System webpage.

QuadKeys, tiles, pixels and geographic coordinates

Tile maps are composed of pixels that are grouped into tiles. Later, the tiles are converted to QuadKeys to optimize map performance, among other benefits described in detail in the [official documentation](#) (Schwartz, 2022).




Figure 5: Pixels (0, 0) and (2047, 2047) for a map with zoom level 3. Image extracted from Microsoft's Bing Maps Tile System webpage.

Pixels and tiles are expressed as two-dimensional coordinates, (pixelX, pixelY) and (tileX, tileY), but QuadKeys are one-dimensional numeric strings. This is important to understand how the conversion works.

Each geographic pair of coordinates (latitude/longitude) will belong to a specific pixel referenced by coordinates (pixelX, pixelY) for each zoom level. In [Figure 5](#), you can see pixels (0, 0) and (2047, 2047) for zoom level 3.




Figure 6: Tile coordinates. Image extracted from Microsoft's Bing Maps Tile System webpage.

For instance, a pixel for zoom level 3 represented by the coordinates `pixelX = 255` and `pixelY = 12` is part of the tile with coordinates `tileX = 0` and `tileY = 0`. The pixel with coordinates (0,0) belongs to tile (0,0), and the pixel (2047, 2047) is part of tile (7,7). You can verify this by comparing [Figure 5](#) and [Figure 6](#).

Converting QuadKeys to and from tiles, pixels, and geographic coordinates

The conversion from QuadKey to geographic coordinates involves a series of smaller transformations that relate to the structure of Tile Maps. All of these intermediary functions, as well as those facilitating the reverse conversion, are available for use within the `quadkeyr` package.

There are different tools in Python, R and other programming languages that help to convert Quadkeys to tiles, pixel or geographic coordinates as well. The package `slippymath` ([McBain & Sumner, 2019](#)) is the sole package in the R ecosystem dedicated to analyzing tile maps. Despite some similarities between `quadkeyr` and `slippymath`, the packages were developed with different objectives.

The goal of `quadkeyr` is to provide a new tool to facilitate the analysis of Meta (Facebook) Mobility Data, so it has specific functions tailored for this purpose and is based solely on Microsoft's Bing Tile Maps documentation. On the other hand, `slippymath` is a mature and smaller package featuring general functions for processing tile maps. It was designed to be easily incorporated as a dependency of higher-level tools.

Raster Images

Recent changes in the geospatial R ecosystem such as the retirement of `rgdal` ([Bivand et al., 2023](#)), `rgeos` ([Bivand & Rundel, 2022](#)) and `maptools` ([Bivand & Lewin-Koh, 2022](#)), affected packages that relied on them, as `sp` ([Bivand et al., 2013](#)) and `raster` ([Hijmans, 2023](#)), which have recently ceased being updated ([Bivand et al., 2024](#); [Pebesma & Bivand, 2022](#)). The `quadkeyr` package addresses this issue by adopting the more modern R stars package ([Pebesma & Bivand, 2023](#)), which converts the `sf` POLYGON data.frame provided as input to a stars object. This object can then be saved as a raster image.

Meta (Facebook) Mobility Data and Data for Good

Meta (formerly Facebook) provides datasets in their program Data for good that are QuadKey-Identified, such as the citizen mobility dataset ([Data for Good at Meta Website, 2024](#)). To facilitate the processing of these data, `quadkeyr` offers specific functions designed to analyze the `.csv` files by date and hour provided and generate `.tif` raster images using no more than

three functions. So far, we are not aware of any other open-source package that provides these functionalities.

Acknowledgements

This project was made possible by the MIDAS-NIH COVID-19 urgent grant program and by the cooperative agreement CDC-RFA-FT-23-0069 from the CDC's Center for Forecasting and Outbreak Analytics. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers for Disease Control and Prevention.

We want to acknowledge the ROpenSci community, especially Emily Riederer, Maria Paula Caldas, Vincent van Hees, and Miles McBain, for their valuable comments and support during the review process, and also Øystein Sørensen for proofreading of this manuscript.

References

- Bivand, R., Keitt, T., & Rowlingson, B. (2023). *Rgdal: Bindings for the 'geospatial' data abstraction library*. <https://CRAN.R-project.org/package=rgdal>
- Bivand, R., & Lewin-Koh, N. (2022). *Maptools: Tools for handling spatial objects*. <https://CRAN.R-project.org/package=maptools>
- Bivand, R., Pebesma, E., & Gomez-Rubio, V. (2013). *Applied spatial data analysis with R, second edition*. Springer, NY. <https://asdar-book.org/>
- Bivand, R., Pebesma, E., Nowosad, J., & Hernandez, J. A. (2024). Preparing CRAN for the retirement of rgdal, rgeos and maptools. In *GitHub repository*. <https://github.com/r-spatial/evolution>; GitHub.
- Bivand, R., & Rundel, C. (2022). *Rgeos: Interface to geometry engine - open source ('GEOS')*. <https://CRAN.R-project.org/package=rgeos>
- Data for good at meta website*. (2024). <https://dataforgood.facebook.com/>.
- Hijmans, R. J. (2023). *Raster: Geographic data analysis and modeling*. <https://CRAN.R-project.org/package=raster>
- McBain, M., & Sumner, M. (2019). *Slippymath: Slippy map tile tools*. <https://CRAN.R-project.org/package=slippymath>
- Pebesma, E. (2018). Simple Features for R: Standardized Support for Spatial Vector Data. *The R Journal*, 10(1), 439–446. <https://doi.org/10.32614/RJ-2018-009>
- Pebesma, E., & Bivand, R. (2022). R-spatial evolution: Retirement of rgdal, rgeos and maptools. In *r-spatial.org*. <https://r-spatial.org/r/2022/04/12/evolution.html#packages-depending-on-sp-and-raster>
- Pebesma, E., & Bivand, R. (2023). *Spatial Data Science: With applications in R*. Chapman; Hall/CRC. <https://doi.org/10.1201/9780429459016>
- Schwartz, J. (2022). *Bing maps tile system - Bing maps*. Microsoft learn website. <https://learn.microsoft.com/en-us/bingmaps/articles/bing-maps-tile-system>.