

# pysrim: Automation, Analysis, and Plotting of SRIM Calculations

Christopher Ostrouchov<sup>1</sup>, Yanwen Zhang<sup>2</sup>, and William J. Weber<sup>1, 2</sup>

<sup>1</sup> Department of Material Science and Engineering, University of Tennessee <sup>2</sup> Division Materials Science and Technology, Oak Ridge National Laboratory

DOI: [10.21105/joss.00829](https://doi.org/10.21105/joss.00829)

## Software

- [Review](#) ↗
- [Repository](#) ↗
- [Archive](#) ↗

Submitted: 04 May 2018

Published: 02 August 2018

## License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC-BY](#)).

## Summary


The behavior of ions traveling through a material is of great interest to many fields. For instance, radiation damage in nuclear materials and ion beam modification of materials are most concerned with understanding the formation and evolution of defects along the ion path (Was 2016). Some of the important properties that can be gleaned from investigating the initial damage from the ion include: numbers of interstitials and vacancies produced, energy deposited per unit length to electrons and atomic nuclei, track diameter, and implanted ion profile. These properties enable further simulations and allow computing a common unit of radiation damage dose, displacements per atom (dpa), which can be used to compare irradiation experiments with different ions (Backman et al. 2013) (Stoller et al. 2013). Additionally, the ejection of materials near the surface due to incident ions is important to sputtering and ion-beam analysis techniques, such as elastic recoil detection analysis (ERDA) and secondary ion mass spectrometry (SIMS) (Vickerman and Gilmore 2011). The interaction of ions within a material can be broken into two parts: electronic and nuclear stopping. Electronic stopping is the energy lost from the ion due to inelastic collisions with electrons along its path. Nuclear stopping is the energy lost due to elastic collisions between the ion and atomic nuclei within the material.

The Stopping and Range of Ions in Matter (SRIM) code is a well known software in the radiation damage and ion-beam communities that allows the simulation, via Monte Carlo, of ions through a material by modeling the energy transfer through electronic and nuclear stopping (J. F. Ziegler, Ziegler, and Biersack 2010). SRIM was originally developed in 1985 and has had numerous updates on the electronic stopping powers since then, with the nuclear stopping well explained by the ZBL potential (J. F. Ziegler 1988). The executable SRIM is free to use for non-commercial use but the source code is not available to the community despite requests. While SRIM is a scientifically accurate code it does not get updated frequently and has many bugs from a usability standpoint.

## Pysrim

`pysrim` is a python library for automating SRIM calculations, analysis, and for publication quality plotting. It is a continuously delivered, tested, and fully-documented module. In addition, the documentation includes several jupyter notebooks for getting started.

The first pain point that `pysrim` aims to solve is running the SRIM calculation. SRIM has some well known limitations such as crashing with large simulations and bad input values, only running on Windows, and needing to be run interactively with user input. `pysrim` solves this by: 1) having an api compatible with windows, linux, and OS X; 2) having support for chunking of large calculations; and 3) recovering from SRIM crashes. Along



**Figure 1:** Plots produced by `pysrim` of vacancies for ions traveling through *SiC*. (top) 21 MeV *Si* ion (bottom) 21 MeV *Ni* ion

with cross platform support, a Docker container image using `pysrim` has been constructed that allows SRIM to run on a linux server without a display. [Benchmarks](#) show that the docker container may have better performance. All of these features allow SRIM to be fully automated via `pysrim` and follow best practices.

After running these calculations SRIM will produce many output files all of which are not convenient to parse. Traditionally research groups have copy and pasted sections into excel or other spreadsheets for analysis. `pysrim` hopes to solve this by providing parsers for all the major output files. These output files include: [IONIZ.txt](#), [VACANCY.txt](#), [NO-VAC.txt](#), [E2RECOIL.txt](#), [PHONON.txt](#), [RANGE.txt](#), and [COLLISON.txt](#). Once the output file is parsed the data is available in `numpy` arrays. From here the user is free to create plots of interesting relationships in their data. `pysrim` additionally provides plotting utilities for producing figures commonly needed in characterizing the defect production distribution under ion irradiation for evaluating radiation damage or ion beam modification in materials. This software has been used for the SRIM calculations, analysis, and plotting in two publications (Y. Zhang et al. 2017) (Y. Zhang et al. 2014).

## Acknowledgements

CO acknowledges support from the University of Tennessee Governor’s Chair Program and the Center for Materials Processing, a Tennessee Higher Education Commission (THEC) supported Accomplished Center of Excellence. YZ and WJW were supported by the U.S. Department of Energy, Office of Science, Basic Energy Sciences, Division of Material Science and Engineering.

## References

Backman, Marie, Marcel Toulemonde, Olli H Pakarinen, Niklas Juslin, Flyura Djurabekova, Kai Nordlund, Aurelien Debelle, and William J Weber. 2013. “Molecular Dynamics Simulations of Swift Heavy Ion Induced Defect Recovery in Sic.”

*Computational Materials Science* 67. Elsevier:261–65.

Stoller, Roger E, Mychailo B Toloczko, Gary S Was, Alicia G Certain, Shyam Dwaraknath, and Frank A Garner. 2013. “On the Use of Srim for Computing Radiation Damage Exposure.” *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms* 310. Elsevier:75–80.

Vickerman, John C, and Ian S Gilmore. 2011. *Surface Analysis: The Principal Techniques*. John Wiley & Sons.

Was, Gary S. 2016. *Fundamentals of Radiation Materials Science: Metals and Alloys*. Springer.

Zhang, Yanwen, Dilpuneet S Aidhy, Tamas Varga, Sandra Moll, Philip D Edmondson, Feraydoon Namavar, Ke Jin, Christopher N Ostrouchov, and William J Weber. 2014. “The Effect of Electronic Energy Loss on Irradiation-Induced Grain Growth in Nanocrystalline Oxides.” *Physical Chemistry Chemical Physics* 16 (17). Royal Society of Chemistry:8051–9.

Zhang, Yanwen, Haizhou Xue, Eva Zarkadoula, Ritesh Sachan, Christopher Ostrouchov, Peng Liu, Xue-lin Wang, Shuo Zhang, Tie Shan Wang, and William J Weber. 2017. “Coupled Electronic and Atomic Effects on Defect Evolution in Silicon Carbide Under Ion Irradiation.” *Current Opinion in Solid State and Materials Science* 21 (6). Elsevier:285–98.

Ziegler, James F. 1988. “The Stopping and Range of Ions in Solids.” In *Ion Implantation Science and Technology (Second Edition)*, 3–61. Elsevier.

Ziegler, James F, Matthias D Ziegler, and Jochen P Biersack. 2010. “SRIM—the Stopping and Range of Ions in Matter (2010).” *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms* 268 (11-12). Elsevier:1818–23.