

PAM: Population Activity Modeller

Fred Shone¹, Theodore Chatziioannou¹, Bryn Pickering¹, Kasia Kozłowska¹, and Michael Fitzmaurice¹

¹ Arup, City Modelling Lab

DOI: [10.21105/joss.06097](https://doi.org/10.21105/joss.06097)

Software

- [Review](#)
- [Repository](#)
- [Archive](#)

Editor: [Martin Fleischmann](#)

Reviewers:

- [@jamesdamillington](#)
- [@martibosch](#)

Submitted: 13 September 2023

Published: 23 April 2024

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License (CC BY 4.0).

Summary

PAM is an activity modelling tool. It can be used for creating, modifying or modelling synthetic populations of agents and their activity sequences. Where activity sequences represent individual agent actions and movements.

Modelling how a population of people will behave in some future scenario is an important tool in policy, operational, and infrastructure decision making. In the transport domain, this might be predicting how many people will buy an electric vehicle so that future energy demand can be planned, or predicting how many people will use a new train station so that a new rail line can be funded.

Activity modelling is a growing paradigm used for these models, in which individuals are explicitly represented and their movements are based on predicting sequences of activities connected by trips (National Academies of Sciences & Medicine, 2014). Each activity is geolocated and has a type or purpose, such as “work”. Figure 1 shows illustrative activity sequence outputs from an activity model. This is a key shift from more simplified approaches and can be used to potentially create more useful and more accurate predictions (Rasouli & Timmermans, 2014).

Activity modelling is also a key component of agent-based modelling approaches such as MATSim (Horni et al., 2016).

PAM provides functionality for these applications, including working with MATSim.




Figure 1: Example activity sequences for persons A, B and C. Connected coloured blocks represent activities that take place at specific locations. Note, for example, that persons A and B share the same workplace. Connecting lines represent travel between these locations.

Existing tooling review

In the transport domain, we are aware of two open-source activity-based transport modeling tools. The first is ActivitySim (Galli et al., 2009), an established framework of model components developed and extensively applied in the United States. Although there is

some flexibility within the underlying API, the framework is highly opinionated and relatively inaccessible without training. The second is Eqasim (Hörl & Balac, 2021), a newer project for creating scenarios for MATSim. The project provides a pipeline of various Python and java-based tools for generating MATSim scenarios using an activity-based modeling approach. There is potential to reuse this framework beyond MATSim, but users require significant MATSim experience to do so.

Statement of need

PAM is a Python package providing a pythonic API for creating and/or working with activity-based synthetic populations. PAM provides read/write functionality for common data formats, such as travel diaries and full support for MATSim formats.

PAM is intended for use by those wanting to (i) build their own activity model, (ii) modify existing synthetic populations to create new scenarios, and (iii) work with the agent-based modelling tool MATSim.

PAM provides an accessible and flexible tooling for researchers and practitioners to experiment with activity modelling approaches and quickly build synthetic populations to use in downstream applications, such as simulations.

Design

The core PAM API provides intuitive objects, representing populations, households, persons, vehicles, plans, activities and trips. These are represented in memory as trees, such that a population is composed of households, household composed of persons and so on.

PAM builds common higher-level functionality on this core data structure, such as read/write operations, samplers, modifications and visualisation. PAM provides example notebooks of these applications as part of its documentation, and common features are exposed via a command-line interface.

The design of PAM will not be performant in some situations. Rather it focuses on accessibility and flexibility.

Development history

PAM was originally conceived and built at the start of the global COVID-19 pandemic, to allow for the assessment of change resulting from government quarantining and lock-down policies. The project was originally called the Pandemic Activity Modifier and was applied to rapidly update existing transport demand models using policies, as described by Shone & Kozłowska (2020). Updated transport demand could then be used for transport simulation using MATSim and virus transmission modelling using EpiSim (Müller et al., 2020).

This application is still supported but PAM has since been generalised to provide broader application for activity modelling by both practitioners and researchers, such as by Castro et al. (2023). The project is now called the Population Activity Modeller.

Acknowledgements

We acknowledge all past, present, and future contributions, including code, documentation, issues and feedback. We also acknowledge funding and support from [Arup](#).

References

- Castro, D. A., Ford, A., Palacin, R., & James, P. (2023). *European transport conference papers 2022: Agent-based modelling of low carbon future mobility*. <https://aetransport.org/past-etc-papers/conference-papers-2022?abstractId=7527&state=b>
- Galli, E., Cuéllar, L., Eidenbenz, S., Ewers, M., Mniszewski, S., & Teuscher, C. (2009). ActivitySim: Large-scale agent-based activity generation for infrastructure simulation. *Proceedings of the 2009 Spring Simulation Multiconference*.
- Hörl, S., & Balac, M. (2021). Introducing the eqasim pipeline: From raw data to agent-based transport simulation. *Procedia Computer Science*, 184, 712–719. <https://doi.org/10.1016/j.procs.2021.03.089>
- Horni, A., Nagel, K., & Axhausen, K. W. (eds.). (2016). *The Multi-Agent Transport Simulation MATSim*. London: Ubiquity Press. <https://doi.org/10.5334/baw>
- Müller, S. A., Balmer, M., Neumann, A., & Nagel, K. (2020). *VSP Working Paper: Mobility traces and spreading of COVID-19*. <https://doi.org/10.14279/depositonce-9835>
- National Academies of Sciences, Engineering, & Medicine. (2014). *Activity-based travel demand models: A primer*. Washington, DC: The National Academies Press. <https://doi.org/10.17226/22357>
- Rasouli, S., & Timmermans, H. (2014). *Activity-based models of travel demand: Promises, progress and prospects*. *International Journal of Urban Sciences*. <https://doi.org/10.1080/12265934.2013.835118>
- Shone, F., & Kozłowska, K. (2020). *Pandemic activity modifier: intro*. Medium. <https://medium.com/arupcitymodelling/pandemic-activity-modifier-intro-3d2dccbc716e>